

INDEX.

A.

- Abies religiosa*, Schlecht, 158.
Acalypha anemoides, HBK., 154.
 Lindheimeri, Muell., 154.
 Neo-Mexicana, Muell., 154.
 phleoides, Cav., 154.
 radians, Torr., 154.
 vagans, Cav., 154.
Acerates viridiflora, Ell., 114.
 Acetic aldehyde, 49.
 Acetone, 51.
Achyronychia Parryi, Hemsl., 143.
 Acid, monobromcinnamic, 279.
 nitrous, volumetric determination
 of combined, 275.
 parabrombenzylsulpho, 86.
 phenyldibromlactic, 280.
 phenyltribrompropionic, 277.
 Acids, inorganic, researches on the
 complex, 232.
Acleisanthes Berlandieri, Gray, 143.
 longiflora, Gray, 143.
Acnide tamariscina, Gray, 144.
Acrostichum gratum, Fée, 183.
 venustum, Fée, 183.
 Acrylic and propionic acids, on cer-
 tain substituted, 41.
Actinella insignis, Gray, 109.
 linearifolia, Torr. & Gray, 109.
 odorata, Gray, 109.
 Palmeri, Gray, 109.
 scaposa, Nutt., 109.
Adiantum tenerum, Swartz, 188.
 capillus-veneris, Linn., 187.
 thalioides, Willd., 187.
Æcidium convalleriæ, Schm., 74.
 nitens, 76.
 thaliætri, Grev., 75.
Æpogon cenechroides, Humboldt &
 Bonpl., 173.
Agave Americana, Linn., 162.
 asperima, Jacobi, 162.
 bracteosa, Watson, 162.
 falcata, Engelm., 162.
Agave guttata, Jac. & Bouché, 161.
 maculosa, Hook., 161.
 Reginæ, Moore, 163.
 revoluta, Klotzsch (?) 162.
 variegata, Jacobi, 161.
 Wislizeni, Engelm., 162.
Ageratum corymbosum, Zucc., 100.
Agrostis scabra, Willd., 176.
 verticillata, Vill., 176.
 Alcohol, allyl, 53.
 methyl, 51.
 Aldehyde, acetic, 49.
Allionia incarnata, Linn., 142.
Allium Plummeræ, 195.
 scaposum, Benth., 165.
 Alloys, electromotive force of, 221.
 their composition, 222.
 Allyl alcohol, 53.
Alternanthera achyrantha, R. Br.,
 144.
Amarantus albus, Linn., 143.
 chlorostachys, Willd., 143.
 Palmeri, Watson, 144.
 polygonoides, Linn., 143.
 retroflexus, Linn., 143.
 spinosus, Linn., 143.
Amblyolepis setigera, DC., 109.
Ambrosia aptera, DC., 104.
 Artemisiæfolia, Linn., 104.
 psilostachya, DC., 104.
 Ammonium salt, 269.
Anagallis arvensis, Linn., 112.
Anagropogon hirtiflorus, Kunth, 174.
 laguroides, DC., 173.
 leucopogon, Nees, 174.
 myosurus, Presl., (?) 174.
 Virginicus, Linn., 174.
Ancimia adiantifolia, Swartz, 189.
 Mexicana, Klotzsch, 189.
 tomentosa, Swartz, 189.
Anemopsis Californica, Hook., 148.
 Anhydride of Curcumin Dihydride, 2.
Anisacanthus pumilus, Nees, 133.
 virgularis, Nees, 133.
 Wrightii, Benth. & Hook., 133.

- Anthericum leptophyllum*, Baker, 164.
 stenocarpum, Baker, 164.
Antigonon leptopus, Hook. & Arn., 148.
Antimony, the bromide of, 62.
 the chloride of, 61, 62.
 the iodide of, 61, 62.
 on their vapor density, 61.
Antiphytum floribundum, Gray, 121.
 Parryi, 122.
Antirrhinum maurandioides, Gray, 129.
Aphanostephus Arkapsanus, Gray, 102.
 humilis, Gray, 102.
 ramosissimus, DC., 102.
Aphyllon Dugesii, 132.
 Ludovicianum, Gray, 132.
 multiflorum, Gray, 132.
Aplopappus divaricatus, Gray, 102.
 rubiginosus, Torr. & Gray, 102.
 spinulosus, DC., 102.
Apocynum cannabinum, Linn., 113.
Arbutus glandulosa, Mart. & Gal., 111.
 xalapensis, HBK. (?), 111.
Arctostaphylos pungens, HBK., 111.
Argythamnia humilis, Muell., 153.
 mercurialina, Muell., 153.
 Neo-Mexicana, Muell., 153.
Aristida bromoides, HBK., 174.
 divaricata, Humb. & Bonpl., 174.
 purpurea, Nutt., 174.
Aristolochia brevipes, Benth., 148.
 pardina, Duchartre, 148.
Artemisia Mexicana, Willd., 109.
Arundo donax, Linn., 181.
Asclepias brachystephana, Engelm., 114.
 linaria, Cav., 114.
 glaucescens, HBK., 114.
 longicornu, Benth., 114.
 perennis, Walter, 114.
 setosa, Benth., 114.
Asclepiodora circinalis, Fournier, 114.
 decumbens, Gray, 114.
Aspidium aculeatum, Swartz, 188.
 athyrioides, Mart. & Gal., 188.
 patens, Swartz, 188.
 trifoliatum, Swartz, 188.
Asplenium furcatum, Thunb., 188.
 monanthemum, Linn., 188.
 parvulum, Mart. & Gal., 188.
 trichomanes, Linn., 188.
Aster divaricatus, Nutt., 103.
 Drummondii, Lindl., 103.
 ericæfolius, Rothr., 103.
Aster multiflorus, Ait., 103.
 Palmeri, Gray, 103.
 phyllolepis, Gray, 103.
 tanacetifolius, HBK., 103.
Astragalus hypoxylus, 192.
 Matthewsii, 192.
 Wingatanus, 192.
Atriplex acanthocarpa, Watson, 146.
 canescens, James, 146.
 oppositifolia, Watson, 146.
 parvifolia, HBK., 146.
 Texana, Watson, 146.
Avery, Charles, notice of, 442.
- B.
- Baccharis angustifolia*, Michx., 103.
 Bigelovii, Gray, 103.
 glutinosa, Pers., 103.
 pteronioides, DC., 103.
 Texana, Torr. & Gray, 103.
Bacon, John, notice of, 419.
Bahia absinthifolia, Benth., 107.
Baileya multiradiata, Gray, 109.
Barbula cirrhata, Muell., 189.
 obtusissima, Muell., 189.
Barium salt, 271.
Barroetia subuligera, Gray, 101.
Bartramia Gardneri, Muell. (?), 190.
Basanacantha (?) *reticulata*, 98.
Benzyl compounds, researches on the, 86.
Berlandiera tomentosa, Torr. & Gray, 104.
Bernardia myricaefolia, Watson, 153.
 (?) *fasciculata*, 153.
Beschorneria tubiflora, Kunth, 161.
Bidens chrysanthemoides, Michx., 107.
 heterophylla, Ort., 107.
Bigelovia coronopifolia, Gray, 102.
 Drummondii, Gray, 102.
 veneta, Gray, 102.
Bignonia buccinatoria, Mairer, 132.
Bischoff, T. L. W. von, notice of, 458.
Blechnum occidentale, Linn., 188.
Bletia campanulata, Llave (?), 159.
Boehmeria cylindrica, Willd., 155.
Boerhaavia erecta, Kinn., 142.
 eriosclena, Gray, 142.
 linearifolia, Gray, 142.
 gibbosa, Pavon, 142.
 viscosa, Lag. & Rodr., 142.
Bomaria acutifolia, Herb., 161.

- Borneol from camphor, a new method of preparing, 93.
Borrchia frutescens, DC., 105.
Botrychium ternatum, Swartz, 189.
 Virginianum, Swartz, 189.
Bouchetia erecta, DC., 129.
Boussingaultia basseloides, HBK., 147.
Bouteloua Aristoides, Thumb., 178, 180.
 bromoides, Lag., 177, 179.
 Burkei, Scribner, 179.
 chondrosioides, Benth., 179.
 ciliata, Griesb., 179.
 disticha, Benth., 180.
 eripoda, Torr., 179.
 havardi, Vasey, 179.
 hirsuta, Lag., 177, 178.
 litigiosa, Lag., 179.
 multisetata, Benth., 180.
 oligostachya, Torr., 177, 179.
 pilosa, Benth., 179.
 polystachya, Torr., 177, 179.
 prostrata, Lag., 176.
 racemosa, Lag., 177, 179.
 scorpioides, Lag., 176, 178.
 simplex, Lag., 178.
 tenuis, Griesb., 176, 178.
 Texana, Watson, 180, 196.
 triathera, Benth., 180.
 trifida, Thurb., 177, 179.
Bouvardia angustifolia, HBK. (?), 96.
 hypoleuca, Benth., 97.
 triphylla, Salisb., 97.
Brachypodium cæpitosum, Roem. & Schul., 183.
Brass yard and meter, 294.
Bravoa geminiflora, Llav. & Lex., 161.
Brickellia Coulteri, Gray, 101.
 cylindracea, Gray, 101.
 laciniata, Gray, 101.
 odontophylla, Gray, 101.
 Palmeri, Gray, 101.
 Riddellii, Gray, 101.
Briza Rotunda, Steud., 182.
Bromide of antimony, on the vapor-density of the, 61.
Bromine, action of, on the Anhydride of Curcumin Dyhydride, 4.
 on Curcumin, 5.
 on dibromstyrol, 280.
Bromus ciliatus, Linn., 183.
Bronze yard and meter, 293.
Brunella vulgaris, Linn., 140.
Bryum argenteum, Linn., 189.
Buchloe dactyloides, Engelm., 178.
Buchnera lithospermifolia HBK. (?), 130.
 pilosa, Benth. (?), 131.
Buddleia Humboldtiana, Roem. & Schult., 116.
 marrubifolia, Benth., 116.
 perfoliata, HBK., 116.
 scordioides, HBK., 116.
 verticillata, HBK., 116.
Bumelia spinosa, DC., 112.
Buoyancy of the atmosphere, effect of the, on the weight of a body, 55.
- C.
- Cacabus Mexicanus*, 127.
Calicarpa Americana, Linn., 136.
Calliandra eriophylla, Benth., 191.
Callisia insignis, Clarke, 167.
Callitriche Austini, Engelm., 154.
 heterophylla, Pursh., 154.
 verna, Linn., 155.
Calochortus flavus, Schult., 165.
Calophanes decumbens, Gray, 133.
 linearis, Gray, 133.
Calyptospora Goeppertiana, Kühn, 79.
Campanula rotundifolia, Linn., 111.
Camphor, a new method of preparing borneol from, 93.
Canabis sativa, Linn., 155.
Capiscum baccatum, Linn., 127.
Carex Schaffneri, W. Boott., 172.
Carya olivæformis, Nutt., 155.
Castilleja canescens, Benth., 132.
 lanata, Gray, 131.
 tenuiflora, Benth., 131.
 sessiliflora, Pursh., 131.
scorzonæifolia, HBK., 131.
Cedrella Dugesii, 190.
Cedronella Mexicana, Benth., 140.
Celosia Palmeri, 143.
 paniculata, Linn., 143.
Celtis Berlandieri, Klotzsch, 155.
 pallida, Torr., 155.
 reticulata, Torr., 133.
Cenchrus echinatus, Linn., 173.
 tribuloides, Linn., 173.
Centaura Americana, Nutt., 110.
Centunculus minimus, Linn., 112.
Cephalanthus Occidentalis, Linn., 96.
Ceratodon purpureus, Brid., 189.
Ceratophyllum demersum, Linn., 157.
Cestrum lanatum, Mart. & Gal., 128.

- Cestrum laxum*, Benth., 128.
 multinervium, Dun., 128.
Chætopappa modesta, Gray, 102.
Chamæsaracha cornopus, Gray, 126.
Chaptalia nutans, Hemsl., 110.
Cheilanthes Alabamensis, Hooker, 185.
 cinnamomea, 186.
 Clevelandii, Eaton, 186.
 Cooperæ, Eaton, 185.
 farinosa, Kaulf., 186.
 gracillima, Eaton, 186.
 Lindheimeri, Hooker, 186.
 meifolia, 185.
 microphylla, Swartz, 185.
 myriophylla, Desv., 186.
 tomentosa, Link., 186.
 viscosa, Link., 186.
 Wrightii, Hooker, 185.
Chenopodium ambrosioides, Linn., 146.
 Berlandieri, Moq., 146.
 fetidum, Linn., 145.
 Fremontii, Watson, 146.
 murale, Linn., 146.
 stellatum, 146.
Chilopsis saligna, Don, 132.
Chlordibromacrylic acid, crystalline form of, 282.
Chloride of antimony, on the vapor-density of the, 61.
Chloris cucullata, Bisch., 176.
 elegans, HBK., 176.
 submutica, HBK., 176.
Chlortribrompropionic acid, on the decomposition of a, by alkaline hydrates, 45.
Chrysactinia Mexicana, Gray, 108.
Chrysopsis pilosa, Nutt., 102.
 villosa, Nutt., 102.
Cladotrix lanuginosus, Nutt., 144.
Cnicus altissimus, Pursh., 110.
 Coefficients of expansion, 341.
 Coefficients of meters, determination of, 377.
Coix arundinacea, Lam. (?), 173.
Coldenia canescens, DC., 119.
 Greggii, Gray, 120.
 hispidissima, Gray, 119.
 Mexicana, 119.
 tomentosa, 120.
Colubrina Texana, Gray, 190.
 Communications, —
 Josiah Parsons Cooke, 55.
 W. G. Farlow, 65.
 Wolcott Gibbs, 232.
 Communications, —
 Oliver W. Huntington, 282.
 C. Loring Jackson, } 86.
 G. T. Hartshorn, }
 C. Loring Jackson, } 1, 93.
 A. E. Menke, }
 Leonard P. Kinnicutt, } 275.
 John U. Neff, }
 Leonard P. Kinnicutt, } 277.
 George M. Palmer, }
 C. F. Mabery, } 41.
 F. C. Robinson, }
 Charles F. Mabery, 47.
 Frank Nelson Cole, 226.
 Edward C. Pickering, 15.
 William A. Rogers, 284, 287, 399.
 John Trowbridge, } 197.
 Walter N. Hill, }
 Serenio Watson, 96.
 C. P. Worcester, 61.
Comparator, Rogers-Bond Universal, 300.
Comparing-rooms, description of, 326.
Comparison of meters, 360, 372, 383.
 of yards, 362, 384.
Comparisons of line and end meters, 351, 357.
Comparisons of line meters, 345.
Complex inorganic acids, researches on the, 232.
Commelina dianthifolia, DC., 167.
 erecta, Linn., 167.
 graminifolia, HBK., 166.
 hirtella, Vahl, 167.
 pallida, Willd., 166.
 undiflora, Linn., 167.
 Virginica, Linn., 166.
Conditions of Equations, 349, 355, 359, 364.
Conobea multifida, Benth., 130.
Conopholis Mexicana, Gray, 131.
Conyza subdecurrens, DC., 103.
Convolvulus incanus, Vahl, 123.
Cooperia Drummondii, Herb., 161.
Cordia Boissieri, DC., 119.
 Greggii, Torr., 119.
 podocephala, Torr., 119.
Coreopsis cardaminefolia, DC., 106.
Corispermum hyssopifolium, Linn., 146.
Corrigiola Andina, Triana & Planch., 143.
Cotoneaster denticulata, HBK., 191.
Cranichis Schaffneri, Reichenb., 159.
Cressa cretica, Linn., 124.
Croton capitatus, Michx., 152.

- Croton corymbulosus*, Engelm., 152.
fruticulosus, Torr., 152.
glandulosus, Linn., 152.
gracilis, Muell., 122.
Lindheimerianus, Scheele, 152.
maritimus, Walt., 152.
monanthogynus, Michx., 152.
morifolius, Willd., 152.
Palmeri, 152.
Texensis, Muell., 152.
 — ? 152.
Torreyanus, Muell., 152.
 Crystalline form of chlordibromacrylic acid, 282.
Cunila secunda, 136.
Cuphea cyanea, DC., 191.
Cupressus Arizonica, Greene, 157.
Benthami, Endl., 157.
Curcumin, 1.
 Anhydride of, dihydride, 2.
 Bromine, action of, on the anhydride of, dihydride, 4.
 Bromine, action of, on the anhydride of, dihydride, on, 5.
 Dihydride of, 1.
 Hydrogen, action of nascent, on, 1.
 Tetrabromide of, 5.
Cuscuta arvensis, Beyr., 124.
decora, Choix., 124.
odontolepis, Engelm., 125.
Potosina, Schaffner, 124.
squamata, Engelm., 124.
tinctoria, Mart., 125.
umbellata, HBK., 124.
Cylindrothecium compressum, Bruch. & Schimp. (?) 190.
Cyperus aristatus, Rottb., 169.
articulatus, Linn., 170.
Baldwinii, Torr., 170.
divergens, HBK., 169.
flavus, Vahl, 170.
flavescens, Linn., 169.
flavicomus, Michx., 169.
incompletus, Link., 170.
melanostachyus, HBK., 169.
Michauxianus, Schultes, 170.
phymatodes, Muhl., 170.
ovularis, Torr., 170.
Schweinitzii, Torr., 169.
uniflorus, Torr., 170.
virens, Michx., 169.
Cypripedium molle, Lindl., 159.
Cystopteris fragilis, Bernh., 188.

D.

- Dasyliion acrotrichum*, Zucc., 164.
glaucophyllum, Hook., 163.
Datura meteloides, DC., 128.
quercifolia, HBK., 128.
 Demagnetization, 201.
 Demagnetization, perfect, 203.
Dianthera parvifolia, Benth. & Hook., 133.
 Dibromacrylic acid, β , 41.
 Dibromstyrol, 278.
 Dibromstyrol, action of bromine on, 280.
Dichaetophora campestris, Gray, 102.
Dichondra argentea, Humb. & Bonpl., 124.
 repens, Forst., 124.
Dicliptera brachiata, Spreng., 133.
Dicranocarpus parviflorus, Gray, 104.
Dicraurus diffusus, Hook., 145.
Dicromena leucocephala, Michx., 171.
 Dihydride of Curcumin, 1.
 Dimethylacetal, 51.
Diodia prostrata, Swartz, 98.
teres, Walt., 98.
tetracocca, Hemsl., 98.
triccoca, Torr. & Gray, 98.
Dioscorea — ? 163.
Diospyros Texana, Scheele, 112.
Diplachne dubia, Benth., 181.
fascicularis, Beauv., 181.
Dothidea perisporioides, B. & C., 190.
 Draper, Henry, notice of, 444.
Dryobalanops Camphora, the natural borneol obtained from, 93.
Dysodia chrysanthemoides, Lag., 108.
pubescens, Lag., 108.

E.

- Eccheandia terniflora*, Ort., 164.
Echites Coulteri, 113.
Eclipta alba, Hassk., 105.
Ehretia elliptica, DC., 119.
 Electricity, thermo, 214.
 Electromotive force, 219.
 Electromotive force of alloys, 221.
 Electromotive force of the alloys of copper and zinc, 223, 224.
 lead and tin, 224.
 tin and lead, 223.

- Eleocharis acicularis*, R. Brown, 171.
arenicola, Torr., 170.
cancellata, 170.
capitata, R. Brown, 170.
palustris, R. Brown, 170.
Ellis's North American Fungi, 65.
Pernosporae, 65.
Uredinae, 65.
Elytraria bromoides, Oersted, 133.
Encelia calva, Gray, 106.
Mexicana, Mart., 106.
microphylla, Gray, 106.
subaristata, Gray, 106.
Engelmannia pinnatifida, Torr. & Gray, 104.
Ephedra antisiphilitica, Meyer, 157.
aspera, Engelm., 157.
pedunculata, Engelm., 157.
Epicampes — ? 175.
Equations of conditions, 349, 355, 359, 364, 389.
Equisetum robustum, Al. Braun, 189.
Eragrostis lugens, Nees, 182.
major, Host., 181.
Mexicana, Link., 182.
minor Host., 181.
oxylepis, Torr., 181.
Palmeri, 182.
pilosa, Roem. & Schutt., 182.
reptans, Nees, 181.
Erigeron Canadensis, Linn., 103.
dryophyllus, Gray, 103.
Palmeri, Gray, 103.
pubescens, HBK., 103.
Eriogonum Abertianum, Torr., 147.
annuum, Nutt., 147.
atrorubens, Engelm., 147.
ciliatum, Torr., 147.
Greggii, Torr. & Gray, 147.
Jamesii, Benth., 147.
longifolium, Nutt., 147.
multiflorum, Benth., 147.
tenellum, Torr., 147.
Wrightii, Torr., 147.
Eriogonum Havardi, 194.
Sheckleyi, 194.
Eritrichium fulvocanescens, Gray, 121.
hispidum, Buckl., 121.
Eryngium discolor, 193.
Erythraea calycosa, Buckl., 117.
— ? 117.
Eupatorium altissimum, Linn., 100.
azureum, DC., 100.
betonicum, Hemsl., 100.
Eupatorium caelestinum, Linn., 100.
Coahuilensis, Gray, 101.
dissectum, Gray, 100.
incarnatum, Walt., 100.
petiolare, Moq., 101.
Euphorbia adenoptera, Bettol., 149.
acuta, Engelm., 150.
albomarginata, Torr. & Gray, 149.
angusta, Engelm., 150.
ammatotricha, Boiss. (?), 151.
antisiphilitica, Zucc., 149.
bardellata, Engelm., 150.
biformis, 151.
campestris, Cham. & Schlecht, 150.
calyculata, HBK., 151.
cumbrae, Boiss., 149.
dentata, Michx., 150.
exclusa, 150.
Fendleri, Torr. & Gray, 149.
graminea, Jacq., 149.
glyptosperma, Engelm., 149.
heterophylla, Linn., 150.
lathyris, Linn., 150.
maculata, Linn., 149.
marginata, Pursh., 150.
Plummerae, 195.
Preslii, Guss., 149.
polycarpa, Benth., 149.
prostrata, Ait., 148.
radians, Benth., 151.
serpens, HBK., 149.
serpyllifolia, Pers., 151.
serrula, Engelm., 149.
sphaerorrhiza, Benth., 151.
tenera, 150.
villifera, Scheele, 149.
Eurotia lanata, Moq., 146.
Eustoma exaltatum, Griesb., 117.
Evax multicaulis, DC., 103.
Evolvulus alsinoides, Linn., 124.
discolor, Benth., 123.
sericeus, Swartz, 123.
Exoascus flavus, Farlow, 83.
Expansion, coefficients of, 341.

F.

- Fellows, Associate, deceased, —
 Charles Avery, 419.
 Henry Draper, 419.
 George P. Marsh, 419.
 Isaac Ray, 419.

Fellow, Associate, elected, —
 Samuel Pierpont Langley, 414.
 Fellows, Associate, List of, 470.
 Fellows deceased, —
 Augustus A. Hayes, 419.
 Chandler Robbins, 419.
 William B. Rogers, 411.
 Nathaniel Thayer, 414.
 Fellows elected, —
 Seth Carlo Chandler, 414.
 Walter Faxon, 415.
 Edwin Herbert Hall, 414.
 Silas Whitcomb Holman, 415.
 William White Jacques, 414.
 Leonard Parker Kinnicutt, 415.
 Charles Frederic Mabery, 415.
 Charles Sedgwick Minot, 411.
 William Henry Pickering, 415.
 Francis Amasa Walker, 411.
 Fellows, List of, 467.
 Fimbristylis autumnalis, Roem. &
 Schult., 171.
 capillaris, Gray, 171.
 Flaveria angustifolia, Pers., 107.
 chloræfolia, Gray, 107.
 longifolia, Gray, 107.
 repanda, Lag., 107.
 Florestina tripteris, DC., 107.
 Flourensia cernua, DC., 106.
 Force of alloys, electromotive, 221.
 Foreign Honorary Members elected, —
 Matthew Arnold, 414.
 Thomas Henry Huxley, 415.
 Carl Friedrich Wilhelm Ludwig,
 412.
 Julius Sachs, 411.
 Bernhard Stader, 411.
 Louis Pasteur, 414.
 Johann Friedrich Julius Schmidt,
 415.
 Foreign Hon. Members deceased, —
 T. L. W. von Bischoff, 413.
 Joseph Liouville, 419.
 Emile Plantamour, 415.
 Friedrich Wöhler, 419.
 Foreign Honorary Members, List of,
 472.
 Forestiera angustifolia, Torr., 113.
 Formiate, methyl, 49.
 Franseria tenuifolia, Gray, 104.
 Fraxinus cuspidata, Torr., 113.
 pistaciæfolia, Torr., 113.
 viridis, Michx., 113.
 Fœrelchia floridiana, Moq., 144.
 gracilis, Moq., 144.
 interrupta, Moq., 144.

Froment meter, the, 288.
 Fuirena squamosa, Michx., 171.
 Fungi, Ellis's North American, notes
 on some species in the third
 and eleventh centuries, 65.
 Furfurol, in the dry distillation of
 wood at low temperatures, 47.

G.

Gaillardia comosa, Gray, 109.
 lanceolata, Michx., 109.
 Mexicana, Gray, 109.
 pinnatifida, Torr., 106.
 pulchella, Foug., 109.
 simplex, Scheele, 109.
 Galinsoga parviflora, Cav., 107.
 Galium Aschenbornii, Schauer, 99.
 Mexicanum, HBK., 99.
 microphyllum, Gray, 99.
 polyplocum, Hemsl., 99.
 proliferum, Gray, 99.
 uncinulatum, DC., 99.
 Gayophytum pumilum, 193.
 Gentiana lanceolata, Griesb., 117.
 spathacea, HBK., 117.
 Gerardia Greggii, 131.
 peduncularis, Benth., 131.
 Gilia aggregata, Spreng., 117.
 incisa, Benth., 117.
 rigidula, Benth., 117.
 Glyphosperma Palmeri, 164.
 Gnaphalium decurrens, Ives, 104.
 oxyphyllum, DC., 104.
 pannosum, Gray, 104.
 purpurascens, DC., 104.
 purpureum, Linn., 104.
 semiamplexicaule, DC., 104.
 Sprengelii, Hook. & Arn., 103.
 Wrightii, Gray, 104.
 Gochnatia hypoleuca, Gray, 110.
 Gomphrena decumbens, Jacq., 144.
 tuberifera, Torr., 144.
 Gonolobus erianthus, Decaisne, 116.
 (?) sp., 116.
 parviflorus, Gray, 115.
 pilosus, Benth., 116.
 reticulatus, Engelm., 115.
 Schaffneri, Gray, 116.
 Gossypianthus, rigidiflorus, Hook.,
 144.
 Greggia linearifolia, 191.
 Grindelia Arizonica, Gray, 101.
 costata, Gray, 102.

Grindelia inuloides, Willd., 101.
squarrosa, Dun. (?), 101.
Guillemina illecebroides, HBK., 14.
Gutierrezia microcephala, Gray, 101.
Texana, Torr. & Gray, 101.
Gymnogramme calomelanos, Desv., 184.
Ehrenbergiana, Klotzsch, 184.
pedata, Kaulf., 184.
tartarea, Desv., 184.
Gymnolomia tenuifolia, Bentham & Hooker, 105.
Gymnosperma corymbosum, DC., 101.

H.

Habenaria volcana (?), 159.
 ——— (?), 159.
Halenia Rothrockii, Gray, 117.
Haploesthes Greggii, Gray, 109.
 Hayes, A. A., notice of, 422.
 Heat produced in iron and steel by reversals of magnetization, 197, 205.
Hebanthe Palmeri, 144.
Hechtia glomerata, Zucc., 159.
Hedeoma costata, Hemsl., 136.
Drummondii, Benth., 136.
Palmeri, Hemsl., 137.
tenella, Hemsl., 137.
Helenium amphibolum, Gray, 108.
elegans, DC., 108.
microcephalum, DC., 109.
oculinum, Gray, 108.
tenuifolium, Nutt., 108.
Helianthella Mexicana, Gray, 106.
Helianthus annuus, Linn., 105.
ciliaris, DC., 106.
debilis, Nutt., 106.
laciniatus, Gray, 106.
Maximiliani, Schrad., 106.
Heliopsis parvifolia, Gray, 105.
Heliotropium angustifolium, Torr., 120.
confertifolium, Torr., 120.
convolvulaceum, Gray, 121.
Curassavicum, Linn., 121.
glabriusculum, Torr., 121.
Greggii, Torr., 121.
inundatum, Swartz, 120.
Palmeri, Gray, 121.
parviflorum, Linn., 121.
Hemicarpha subsquarrosa, Nees, 171.
Hemiphyllacus, 165.
latifolius, 164.

Herpestis chamædrioides, HBK., 130.
monniera, HBK., 130.
rotundifolia, Pursh., 130.
Heteranthera Limosa, Vahl, 166.
Mexicana, 166.
reniformis, Ruiz & Pavon, 166.
Heteropogon contortus, Roem. & Schult., 173.
Heterotheca chrysopsidis, DC. (?), 102.
Lamarekii, Nutt., 102.
Heterotoma lobelioides, Zucc., 111.
Hexalectris aphylla, Raf., 159.
Hieracium crepidispermum, Fries., 110.
Mexicanum, Less., 110.
Hoffmanseggia Jamesii, Torr. & Gray, 191.
Houstonia acerosa, Gray, 98.
angustifolia, Michx., 97.
fasciculata, Gray, 98.
longipes, 97.
Palmeri, Gray, 97.
 Hydrochloric acid, action of, on turmerol, 11.
 Hydrogen, action of nascent, on curcumin, 1.
Hymenatherum acerosum, Gray, 108.
gnaphaliopsis, Gray, 108.
pentachætum, DC., 108.
Wrightii, Gray, 108.
Hymenoclea monogyra, Gray, 104.
Hymenopappus artemisiæfolius, DC., 107.
flavescens, Gray, 107.
Hyoscyamus albus, Linn., 128.
Hypnum adnatum, Hedw. (?), 190.
Hufferi, Juratz, 190.
 Hypophospho-molybdate of ammonium, 232.
 tungstates, 235.
Hypoxis decumbens, Linn., 161.

I.

Index error of a meridian circle on a method of determining the, 284.
Indigofera leptosepala, Nutt., 190.
 Inorganic acids, researches on the complex, 232.
 Iodide of antimony, on the vapor-density of the, 61.
Ipomœa cardiophylla, Gray, 122.
coccinea, Linn., 123.

Ipomoea commutata, Roem. & Schult., 122.

costellata, Torr., 123.
heterophylla, Ort. (?), 123.
Lindheimeri, Gray, 122.
Llaveana, Meissn., 123.
Mexicana, Gray, 122.
muricata, Cav., 122.
Schaffneri, 123.
sinuata, Ort., 122.
stans, Cav., 123.
trifida, Dow., 122.
versicolor, Meissn., 123.

Iresine cassimiformis, 145.
celosioides, Linn., 145.
latifolia, Benth. & Hook., 145.

Iris florentina, Linn., 160.
Missouriensis, Nutt., 160.

Isanthus cæruleus, Michx., 140.
Isobutylether of Turmerol, 13.

Iva angustifolia, Nutt., 104.
ambrosiæfolia, Gray, 104.
dealbata, Gray, 104.

J.

Jacobinia incana, Benth. & Hook., 133.

Mohintli, Benth. & Hook., 133.

Jatropha Berlandieri, Torr., 151.
spatulata, Muell., 151.

Juglans nigra, Linn., 155.
rupestris, Engelm., 155.

Juncus acuminatus, Michx., 169.
Balticus, Willd., 167.
Bufonius, Linn., 168.
marginatus, Rost., 169.
nodosus, Linn., 168.
tenuis, Willd., 168.

xiphioides, Meyer, 169.
Juniperus flaccida, Schlecht, 158.
Mexicana, Schiede, 158.
Occidentalis, Hook., 158.

K.

Kuhnia lupatoroides, Linn., 101.
rosmarinifolia, Vent., 101.

L.

Lamoreuxia rhinanthifolia, HBK., 132.

Lantana camara, Linn., 134.
canescens, HBK., 134.

Lantana macropoda, Torr., 134.
velutina, Mart. & Gal., 134.

Lauranthus calycatus, DC., 148.

Leucophyllum Texanum, Benth., 129.

Lepachys columnaris, Torr. & Gray, 105.

peduncularis, Torr. & Gray, 105.

Leptochloa mucronata, Kunth, 181.

Liatris punctata, Hook., 101.

Limosella aquatica, Linn., 130.

Liouville, Joseph, notice of, 460.

Lippia graveolens, HBK., 134.

lanceolata, Michx., 135.

lycioides Steud., 135.

machrostachya, 134.

nodiflora, Michx., 135.

purpurea, Jacq., 134.

Lithospermum angustifolium, Michx., 122.

distichum, Ort., 122.

Matamorensis, DC., 122.

Palmeri, 122.

spatulatum, Mart. & Gal., 122.

strictum, Lehm., 122.

Litsea glaucescens, HBK., 148.

Llavea cordifolia, Lagasca, 187.

Lobelia Berlandieri, DC., 111.

clifortiana, Linn., 111.

fenestralis, Cav., 111.

gruina, Cav., 111.

laxiflora, HBK., 110.

splendens, Humb. & Bonpl., 110.

Loeselia cærulea, Don, 117.

coccinea, DC., 117.

glandulosa, Don, 117.

Greggii, 117.

Lonicera albiflora, Torr. & Gray, 96.

pilosa, Willd., 96.

Lycium barbinodum, Miers., 128.

Berlandieri, Dun., 127.

brachyanthum, Gray, 127.

Carolinianum, Walt., 128.

Schaffneri, Gray, 128.

Lycurus phalaroides, HBK., 175.

Lygodesmia grandiflora, Torr. & Gray, 110.

Lygodium Mexicanum, Presl., 189.

Lysanthes gratioides, Raf., 130.

M.

Macrosiphonia Berlandieri, Gray, 113.
hypoleuca, Muell., 113.

- Madotheca Mexicana*, Hampe, 190.
 Magnetism, influence of, upon thermal conductivity, 210.
Magnetite, very pure, 203.
 Magnetization, heat produced in iron and steel by reversals of, 197, 205.
Marrubium vulgare, Linn., 140.
 Marsh, George P., notice of, 447.
Marsilia Mexicana, A. Braun, 189.
Martynia proboscidea, Glox., 132.
 fragrans, Lindl., 133.
Maurandia Barclayana, Lindl., 129.
 erecta, Hemsl., 129.
Melampodium cinereum, DC., 104.
Menodora Coulteri, Gray, 112.
 heterophylla, Moric., 112.
 longiflora, Gray, 112.
 scabra, Gray, 112.
 scoparia, Engelm., 112.
Mentha arvensis, Linn., 136.
 rotundifolia, Linn., 136.
 Meridian circle, on a method of determining the index error of a, 284.
Metastelma Californicum, Benth., 115.
 Palmeri, 115.
 Meter, —
 Tresca, 287.
 Froment, 288.
 Bronze yard and, 293.
 Brass yard and, 294.
 Glass yard and, 295.
 Meters, comparison of, 360, 383, 386.
Methyl, alcohol, 51.
 acetate, 50.
 acetone, 51.
 formiate, 49.
 Metrology, studies in, 287.
Metzgeria pubescens, Raddi, 190.
Microchloa setacea, R. Br., 176.
Micromeria Xalapensis, Benth., 136.
 Microscopes, description of, 332.
Microstylis corymbosa, 195.
 purpurea, 195.
Microstylis fastigiata, Reichenb., 159.
 montana, Rothr., 159.
Mikania scandens, Willd., 101.
Milla biflora, Cav., 165.
Mimulus glabratus, HBK., 130.
Mirabilis jalapa, Linn., 142.
 longiflora, Linn., 142.
Mitracarpium breviflorum, Gray, 98.
Mitreola petiolata, Torr. & Gray, 116.
Monarda citriodora, Cerv., 140.
 punctata, Linn., 140.
 Monobromocinnamic acid, 279.
Montia Howellii, 191.
Muhlenbergia Berlandieri, Trin. (?), 174.
 Calamagrostidea, Kunth, 174.
 clomena, Trin., 174.
 scabra, 174.
 Schaffneri, Fourn., 174.

N.

- Nama Coulteri*, Gray, 118.
 diehotomum, Choisy, 118.
 hispidum, Gray, 118.
 Jamaicense, Linn., 119.
 origanifolium, HBK., 119.
 Palmeri, Gray, 118.
 rupicola, Pavon, 119.
 Schaffneri, Gray, 119.
 serphylloides, Gray, 119.
 stenocarpum, Gray, 118.
 stenophyllum, Gray, 118.
 subpetiolare, Gray, 119.
 undulatum, HBK., 118.
Neckera Ehrenbergii, Muell., 190.
Nectouxia formosa, HBK., 127.
Nemastylis multiflora, Benth & Hook., 160.
 nana, 160.
 tenuis, Benth. & Hook., 160.
Nicoletia Edwardsii, Gray, 108.
Nicotiana glauca, Linn., 129.
 nudicaulis, 128.
 repanda, Willd., 128.
 trigonophylla, Dun., 128.
Nierembergia angustifolia, HBK., 129.
Nitella asagreaana, Schaffner, 190.
 clavata, A. Braun, 190.
 Nitrate solution, potassic, 276.
 Nitrous acid, volumetric determination of combined, 275.
Nolina humilis, Watson, 163.
 Lindheimeriana, Watson, 163.
Notholena Aschenborniana, Klotzsch, 184.
 brachypus, J. Smith, 184.
 candida, Hooker, 185.
 ferruginea, Hooker, 184.
 Grayi, Davenport, 184.
 Hookeri, Eaton, 184.
 nivea, Desv., 185.
 sinuata, Kaulf., 184.
Nothoscordum striatum, Kunth, 165.
Nyctaginea capitata, Choisy, 142.

O.

- Oils, high boiling, 53.
 Oldenlandia ovata, 97.
 Omphalodes aliena, Gray, 121.
 cardiophylla, Gray, 121.
 Oplismenus setarius, Roem. & Schult., 173.
 Orthocarpus Mexicanus, Hemsl., 132.
 Oxidation of Turmerol, 13.
 Oxybaphus aggregatus, Vahl, 142.
 angustifolius, Sweet., 142.
 Cervantesii, Sweet., 142.
 glabrifolius, Vahl, 142.

P.

- Palafoxia linearis, Lag., 107.
 Panicum cepitosum, Swartz, 172.
 colonum, Linn., 172.
 Crus-Galli, Linn., 172.
 dichotomum, Linn., 172.
 divaricatum, Linn., 171.
 — ? 171.
 leucophæum, HBK., 172.
 obtusum, HBK., 172.
 repens, Linn., 172.
 Pappophorum apertum, Munro, 180.
 Wrightii, 178.
 Parabrombenzyl compounds, 86.
 Parabrombenzylbromide, 86.
 Parabrombenzylsulphide, 91, 92.
 Parabrombenzylmercaptopan, 90, 92.
 mercaptid, 90, 92.
 Parabrombenzylsulphide, 89, 92.
 Parabrombenzylsulphone, 90, 92.
 Parabrombenzylsulpho-acid, 86.
 barium salt, 87.
 calcium salt, 87.
 chloride of the sulpho-acid, 88.
 lead salt, 88.
 Parietaria floridana, Nutt., 155.
 officinalis, Linn. (?), 155.
 Paronychia Mexicana, Hemsl., 143.
 Parthenium argentatum, Gray, 104.
 confertum, Gray, 104.
 incanum, HBK., 104.
 lyratum, Gray, 104.
 Paspalum distichum, Linn., 172.
 Humboldtianum, Fluegge, 172.
 Pectis angustifolia, Torr., 108.
 prostrata, Cav., 108.
 Pedicularis Canadensis, Linn., 132.
 Pellaea aspera, Baker, 187.
 atropurpurea, Link., 187.

- Pellaea cordata, J. Smith, 187.
 flexuosa, Link., 187.
 marginata, Baker, 187.
 pulchella, Fée, 187.
 rigida, Hooker, 187.
 Seemanni, Hooker, 187.
 ternifolia, Link., 187.
 Pentabromeurcumindibromide, 7.
 Pentacæna polycnemoides, Bartl., 143.
 Pentstemon baccharifolius, Hook., 129.
 barbatus, Nutt., 129.
 campanulatus, Willd., 129.
 imberbis, Trautv., 129.
 stenophyllus, Gray, 130.
 tenuifolius, Benth., 130.
 Peperomia umbilicata, Ruiz & Pavon, 148.
 Perezia Wrightii, Gray, 110.
 runcinata, Lag., 110.
 Pernospora Halstedii, Farlow, 71.
 obducens, Schrt., 70.
 viticola, DeBary, 70.
 Persea gratissima, Gaertn., 148.
 Petunia parviflora, Juss., 129.
 Phacelia congesta, Hook., 118.
 glandulosa, Nutt., 118.
 integrifolia, Torr., 118.
 Phenylidibromlactic acid, 280.
 Phenyltribrompropionic acid, 277.
 Philibertia cynahoides, Benth. & Hook., 113.
 elegans, Benth. & Hook., 114.
 linearis, Benth. & Hook., 114.
 Phlox Drummondii, Hook., 117.
 Phosphoro-molybdate of ammonium, 237.
 Phospho-vanadio-molybdates, 253.
 Phospho-vanadio-tungstates, 257.
 Phospho-vanadio-vanadico-tungstates, 270.
 Phyllactis pratensis, Benth. & Hook., 99.
 Phyllanthus polygonoides, Spring., 151.
 Phytostegia Virginiana, Benth., 140.
 Physalis æquata, Jacq., 126.
 angulata, Linn., 126.
 Fendleri, Gray, 126.
 lobata, Torr., 126.
 mollis, Nutt., 126.
 Philadelphica, Lam., 126.
 pubescens, Linn., 126.
 viscosa, Linn., 126.
 Phytolacea Mexicana, Sweet, 147.
 octandra, Linn., 147.

- Pileolaria brevipes*, B. & Rav., 76.
Pinaropappus roseus, Less., 110.
Pinguicula candata, Schlecht., 132.
Pinus Ayacahuite, Ehrenb., 158.
 cembroides, Zucc., 158.
 latisquama, Engelm., 158.
 Montezumæ, Lamb., 158.
 Teocote, Cham. & Schlecht (?), 158.
Plantago caulescens, 141.
 Hirtella, HBK., 141.
 major, Linn., 141.
 Mexicana, Link., 141.
 Patagonica, Jacq., 141.
 Virginica, Linn., 141.
Plantamour, Emile, notice of, 461.
Platanus Lindeniana, Mart. & Gal., 155.
 Mexicana, Moric., 155.
Pluchea camphorata, DC., 103.
 odorata, Cass., 103.
 subdecurrens, DC., 103.
Plumbago pulchella, Boiss., 112.
 scandens, Linn., 112.
Plumiera — ? 113.
Poa annua, Linn., 182.
 Ruprechtii, Peyr., 182.
Pogonatum cucullatum, Hampe, 190.
Poliomnitha glabrescens, Gray, 137.
Polygonum acre, Linn., 147.
 aviculare, Linn., 147.
 Pennsylvanicum, Linn., 147.
 persicaria, Linn., 147.
Polypodium aureum, Linn., 183.
 cheliosticton, Fée, 183.
 elipsoideum, Fée, 183.
 furfuraceum, Schlecht., 183.
 incanum, Swartz, 183.
 lanceolatum, Linn., 184.
 Martensii, Mett., 183.
 plebeium, Schlecht., 183.
 plesiosorum, Kunze, 184.
 subpetiolatum, Hook., 183.
 thyssanolepis, Al. Br., 184.
Polypremum procumbens, Linn., 116.
Polypteris callosa, Gray, 107.
 Hookeriana, Gray, 107.
 Texana, Gray, 107.
Populus alba, Linn., 156.
 Fremonti, Watson, 157.
Porophyllum amplexicaule, Engelm., 108.
 filifolium, Gray, 107.
 macrocephalum, DC., 108.
 scoparium, Gray, 108.
Potamogeton hybridus, Michx., 169.
Potamogeton natans, Linn., 169.
 pauciflorus, Pursh., 169.
Potassic nitrite solution, 276.
Potassic salt, 235.
Potential of a shell bounded by con-focal ellipsoidal surfaces, 226.
Priva tuberosa, 135.
Products of the dry distillation of wood at low temperatures, 47.
Propionic and acrylic acids, on certain substituted, 41.
Pseudotsuga Douglasii, Engelm., 158.
Psilactis brevilingulata, Schultz Bip., 102.
Pteris aquilina, Linn., 187.
Pterocaulon virgatum, DC., 103.
Puccinia curtipes, Howe, 82.
 emaculata, Schw., 81.
 epilobii, DC., 80.
 lantanae, Farlow, 83.
 veratri, Duby, 81.
 vexans, Farlow, 82.
Pylaisæa intricata, Bruch. & Schimp., 190.
Pyropappus multicaulis, DC., 110.
Pyroxanthin, 47.

Q.

- Quercus castanea*, Nee (?), 156.
 coccinea, Wang., 156.
 confertifolia, Humb. & Bonpl., 156.
 crassifolia, Humb. & Bonpl., 156.
 Durandi, Buckley, 156.
 grisea, Liebm., 156.
 macrocarpa, Michx., 156.
 nigra, Linn., 156.
 reticulata, Humb. & Bonpl., 156.
 stellata, Willd., 156.
 tomentosa, Willd. (?), 156.
 — ? 156.
 virens, Ait., 155.

R.

- Randia xalapensis*, Mart. & Gal., 98.
Ray, Isaac, notice of, 457.
Rhagadiolus hedypnoides, All., 110.
Rhynchospora — ? 171.
Ribes ambiguum, 193.
Richardsonia scabra, St. Hil., 99.
Ridellia arachnoidea, Gray, 107.
Rivina laevis, Linn., 147.

- Robbins, Chandler, notice of, 427.
Roestelia botryapites, Schw., 75.
 cornuta, Tul., 75.
 penicillata, Fr., 75.
 Rogers-Bond universal comparator,
 300.
 Rogers, Wm. B., notice of, 428.
 Roulinia Palmeri, 115.
 unifaria, Engelm., 115.
 Ruellia Parryi, Gray, 133.
 tuberosa, Linn., 133.
 Rumex Berlandieri, Meissn., 148.
 crispus, Linn., 147.
 Mexicanus, Meissn., 148.

S.

- Sagina crassicaulis*, 191.
Salazaria Mexicana, Torr., 140.
Salex Bonplandiana, HBK., 156.
 taxifolia, HBK., 156.
Salvia angustifolia, Cav., 138.
 axilaris, Moc. & Seese, 139.
 azurea, Lam., 137.
 ballotaeflora, Benth., 137.
 chamædryoides, Cav., 137.
 coccinea, Linn., 137.
 farinacea, Benth., 137.
 glechomæfolia, HBK., 137.
 Grahami, Benth., 138.
 Greggii, Gray, 136.
 fulgens, Cav., 138.
 Hispanica, Linn., 138.
 lanceolata, Brouss., 138.
 lasiantha, Benth., 138.
 leucantha, Cav., 138.
 Lindenii, Benth., 138.
 microphylla, HBK., 138.
 Mexicana, Linn., 138.
 Nana, HBK., 138.
 patens, Cav., 138.
 pentstemonoides, Kunth, 137.
 regia, Cav., 137.
 Römeriana, Sheele, 137.
 tiliæfolia, Vahl, 137.
Salviastrum Texanum, Sheele, 140.
Samolus ebracteatus, HBK., 112.
Sanvitalia angustifolia, Engelm., 105.
Saracha umbellata, Don, 127.
Sartwellia Mexicana, Gray, 107.
Schaffnera gracilis, Benth., 173.
Schenocaulon Drummondii, Gray,
 166.
Scirpus heterocarpus, 171.
 supinus, Linn., 171.
Sclerocarpus uniserialis, Bentham &
 Hooker, 105.
Scleropogon Karwinskianus, Benth.,
 181.
Scutellaria Drummondii, Benth., 140.
 Wrightii, Gray, 140.
Sedum radiatum, 193.
Selaginella cuspidata, Spring, 189.
 lepidophylla, Spring, 189.
 pilifera, A. Braun, 189.
 rupestris, Spring, 189.
 saccharata, A. Braun, 189.
Selinocarpus angustifolius, Torr., 143.
 Palmeri, Hemsl., 143.
Seneco lobatus, Pers., 109.
 madrensis, Gray, 110.
 salignus, DC., 109.
 sanguisorba, DC., 110.
 tolucanus, DC., 110.
Setaria imberbis, Roem. & Schult., 173.
 glauca, Beauv., 173.
 uniseta, Fourn., 173.
Seymeria bipinnatisecta, Seem., 131.
 virgata, Benth., 131.
 Shell, potential of a, bounded by confo-
 cal ellipsoidal surfaces, 226.
Silphium asperillum, Hook., 104.
Siphonoglossa pilosella, Torr., 133.
Sisyrinchium scabrum, Cham. &
 Schlecht., 160.
 Schaffneri, 160.
 tenuifolium, Humb. & Bonpl.,
 160.
Smilax Bona-nox, Linn., 163.
Solanum Cervantesii, Lag., 125.
 elæagnifolium, Cav., 125.
 heterodoxum, Dun., 125.
 nigrum, Linn., 125.
 rostratum, Dun., 125.
 Torreyi, Gray, 125.
 triquetrum, Cav., 125.
 tuberosum, Linn., 125.
 torvum, Swartz, 126.
Solidago Canadensis, Linn., 102.
 memoralis, Ait., 102.
 velutina, DC., 102.
Speiranthes aurantiaca, Bentham &
 Hooker, 159.
 cinnabarina, Benth. & Hook., 159.
Spermacece podocephala, Benth., 99.
 subulata, Pav., 99.
Spiraea occidentalis, 192.
Sporobolus atrovirens, Kunth, 175.
 cryptandrus, Gray, 175.
 repens, Presl., 175.
 —, 175.

Stachys agraria, Cham. & Schlecht, 140.
Bigelovii, Gray, 140.
coccinea, Jacq., 140.
Drummondii, Benth., 140.
Standards, subdivision of, 390.
Star catalogues, on their reduction to a common system, 390.
Stemodia durantifolia, Swartz, 130.
Stenandrium dulce, Nees, 133.
Stevia Berlandieri, Gray, 100.
eupatoria, Willd., 100.
paniculata, Lag., 100.
salicifolia, Cav., 100.
Stillingia angustifolia, Engelm., 154.
sanguinolenta, Muell., 154.
Torreyana, Watson, 154.
Stipa avenacea, Linn., 174.
Jurava, Beauv., 174.
viridula, Trin., 174.
Studies in metrology, 287.
Suaeda diffusa, Watson, 147.
minutiflora, 194.
Torreyana, Watson (?), 147.
Subdivisions of standards, 390.
Symblypharis helicophylla, Montg. (?), 190.
Symphoricarpus microphyllus, HBK., 96.
Synchytrium fulgens, Schrt., 70.
Synedrella vialis, Gray, 106.

T.

Tagetes lucida, Cav., 108.
Taphrina flava, Farlow, 84.
Taraxacum officinale, Vill., 110.
Taxodium distichum, Rich., 158.
mucronatum, Ten., 158.
Tecoma stans, Juss., 132.
Tetraclea Coulteri, Gray, 140.
Tetragonotheca Ludoviciana, Gray, 105.
Texana, Engelm. & Gray, 105.
Tetramerium hispidum, Nees, 134.
Tetrabromide of Curcumin, 5.
Tetrabrompropionate, 42.
baric, 42.
calcium, 42.
potassic, 43.
Tecurium Canadense, Linn., 141.
cubense, Linn., 141.
Thayer, Nathaniel, notice of, 438.
Thelesperma filifolium, Gray, 106.
gracile, Torr. & Gray, 107.
subsimplicifolium, Gray, 106.

Thermal conductivity, influence of magnetism upon, 210.
Thermo-electricity, 214.
Thermometers employed in the comparisons, 328.
Thevetia Yecotli, DC., 113.
Tigridia Van Houttei, Roezl., 160.
Tillandsia recurvata, Linn., 159.
Tinantia anomala, Clarke, 168.
fugax, Scheidw., 166.
Tournefortia capitana, Mart. & Gal., 120.
monclovana, 120.
Townsendia Mexicana, Gray, 102.
Trachypogon montufari, Nees, 173.
Tradescantia crassifolia, Cav., 166.
floridiana, Watson, 168.
Karwinskyana, Roem. & Schult., 166.
leiandra, Torr., 167, 168.
linearis, Benth., 167.
micrantha, Torr., 168.
rosea, Vent., 168.
Virginica, Linn., 168.
tuberosa, Greene, 168.
Tragia nepetæfolia, Cav., 154.
urticæfolia, Michx., 154.
Tragus racemosus, Desf., 173.
Transit of Venus, 15.
Tresca meter, the, 287.
Trichostomum Schlimii, Muell. (?), 189.
strictum, Bruch. (?), 189.
Tridax procumbens, Linn., 107.
Triodia avenacea, HBK., 180.
mutica, Benth., 180.
Schaffneri, 181.
Texana, 180.
Trixis angustifolia, DC., 110.
Turmeric, on certain substances obtained from, 1.
Turmeric oil, 8.
Turmerol, 8.
action of hydrochloric acid on, 11.
isobutylether of, 13.
oxidation of, 13.
Turmerychloride, 11.
Turnera diffusa, Willd., 191.

U.

Ulmus crassifolia, Nutt., 155.
Uromyces liliacearum, Unger, 79.

- Uromyces Martinii*, Farlow, 78.
 Peckianus Farlow, 78.
 Spartinae Farlow, 77.
Urtica chamaedryoides, Pursh., 155.
 spirealis, Blume, 155.
 mens, Linn., 155.
Ustilago Maydis, Corda, 190.
Utricularia denticulata, Benj. (?), 132.

V.

- Valeriana sorbifolia*, HBK., 99.
 tolucana, DC., 99.
Vanadio-molybdates, 240.
Vanadio-tungstates, 249.
Vanadio-tungstic acid, 251, 252.
Vanadio-tungstate of ammonium, 250.
Vanadio-vanadico-molybdates, 264.
Vanadio-vanadico-molybdate of ammonium, 264.
 of barium, 265.
 tungstate of sodium, 267.
 tungstate of silver, 269.
Vapor-density, on the, of the chloride, the bromide, and the iodide of antimony, 61.
Varilla Mexicana, Gray, 105.
 Texana, Gray, 105.
Venus, transit of, December 5 and 6, 1882, at the Harvard College Observatory, 15.
Contacts, 17.
Observers, —
 S. C. Chandler, Jr., 23.
 J. R. Edmands, 22.
 E. C. Pickering, 19.
 W. H. Pickering, 24.
 Arthur Searle, 20.
 O. C. Wendell, 21.
 at other stations, 24.
 diameter of, 30.
 report of S. C. Chandler, Jr., 35.
 report of William A. Rogers, 30.
 photometric observations, 25.
 spectroscopic observations, 29.
Verbascum virgatum, With., 129.
Verbena bipinnatifida, Nutt., 136.
 bracteosa, Michx., 136.
 canescens, HBK., 135.
 ciliata, Benth., 136.
 officinalis, Linn., 135.
 polystachia, HBK., 135.
 remota, Benth., 136.
Verbena urticæfolia, Linn., 135.
 xutha, Lehm., 136.
 Wrightii, Gray, 136.
Verbesina Coahuilensis, Gray, 106.
 encelioides, Benth. & Hook., 106.
 striata, Gray, 106.
 Virginica, Linn., 106.
 Wrightii, Gray, 106.
Veronia artissima, Nutt., 100.
 angustifolia, Michx., 100.
 Ervendbergii, Gray, 100.
 Greggii, Gray, 100.
 Lindheimeri, Gray, 100.
 Schaffneri, Gray, 100.
Veronica peregrina, Linn., 130.
Viburnum membranaceum, Benth. & Hook., 96.
 prunifolium, Linn., 96.
Viguiera canescens, DC., 105.
 helianthoides, HBK., 105.
 linearis, Schultz Bip., 105.
Vincetoxicum Mexicanum, 115.

W.

- Weight of a body*, a simple method of correcting the, for the buoyancy of the atmosphere when the volume is unknown, 55.
Weissia longirostris, Schwægr. (?), 189.
Whitworth steel yard, 297.
Wigandia Kunthii, Choisy, 118.
Wöhler, Friedrich, notice of, 463.
Wood, on the products of the dry distillation of, at low temperatures, 47.
Woodsia mollis, J. Smith, 188.
 obtusa, R. Br. (?), 188.
 Mexicana, Fée, 188.

X.

- Xanthisma Texanum*, DC., 102.

Y.

- Yale observatory standards*, 330.
Yard,
 Bronze yard and meter, 293.
 Brass yard and meter, 294.
 Glass yard and meter, 295.
 Whitworth steel, 297.

Yards, comparison of, 362, 384, 387.
Yucca angustifolia, Pursh., 163.
 rupicola, Scheele, 163.

Z.

Zaluzania megacephala, Schultz Bip.
 (?), 105.
 triloba, 105.
Zephyranthes aurea, 161.
 carinata, Herb., 161.

Zephyranthes concolor, Benth. &
 Hook., 161.
 pallida, Roem., 161.
 Texana, Herb., 161.
Zexmenia brevifolia, Gray, 105.
 hispida, Gray, 105.
Zinnia acerosa, Gray, 104.
 anomala, Gray, 105.
 juniperifolia, Gray, 104.
 pauciflora, Linn., 104.
Zygadenus porrifolius, Greene, 166.
 volcanicus, Benth., 165.

